

Onyx Coating GmbH

according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Surpreme Compound

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Abrasive

1.3. Details of the supplier of the safety data sheet

Company name: Onyx Coating GmbH Street: Hardenbergstraße 12

Place: 10623 Berlin

Telephone: +49 (0) 30 887889772
e-mail: info@onyxcoating.com
Internet: www.onyxcoating.com

1.4. Emergency telephone +49 (0) 30 887889772
number: Honor - Fri, 09:00 - 06:00 CET

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

see below Labelling for contents according to regulation (EC) No. 648/2004, Additional information: Abrasive, Paraffinum Liquidum, thickeners



according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 2 of 11

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
64742-48-9	hydrocarbons, C10-C13, n-a	alkanes, iso-alkanes, cyclic, < 2%	aromatics (<0,1% benzene)	10 - < 15 %		
	918-481-9		01-2119457273-39			
	Asp. Tox. 1; H304 EUH066					
64742-46-7	Hydrocarbons, C16-C20, n-a	alkanes, isoalkanes, cyclics, <2%	aromatics (<0,1% benzene)	5 - < 10 %		
	265-148-2		01-2119457735-29			
	Asp. Tox. 1; H304 EUH066	-				
8042-47-5	white oil			5 - < 10 %		
			01-2119487078-27			
	Asp. Tox. 1; H304	•	·			
122-99-6	2-phenoxyethanol	< 1 %				
	204-589-7	603-098-00-9	01-2119488943-21			
	Acute Tox. 4, Eye Irrit. 2; H3					
4299-07-4	2-n-butyl-benzo[d]isothiazol-	< 0.1 %				
	420-590-7	606-079-00-3	01-0000016721-74			
	Skin Corr. 1B, Eye Dam. 1, H400 H410	Skin Sens. 1, Aquatic Acute 1, A	quatic Chronic 1; H314 H318 H317			
2372-82-9	N-(3-Aminopropyl)-N-dodec	< 0.1 %				
_	219-145-8		01-2119980592-29			
	Acute Tox. 3, Skin Corr. 1B, H314 H318 H373 H400 H41					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
64742-48-9	918-481-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene)	10 - < 15 %		
	inhalation: L0 mg/kg	C50 = mg/l (vapours); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000			
64742-46-7	265-148-2	Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics (<0,1% benzene)	5 - < 10 %		
	inhalation: L0 mg/kg	C50 = 5266 mg/l (vapours); dermal: LD50 = >3160 mg/kg; oral: LD50 = >5000			
8042-47-5		white oil	5 - < 10 %		
	inhalation: L0 mg/kg	C50 = >5000 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000			
122-99-6	204-589-7	2-phenoxyethanol	< 1 %		
	dermal: LD50	0 = >2000 mg/kg; oral: LD50 = 1850 mg/kg			
4299-07-4	420-590-7	2-n-butyl-benzo[d]isothiazol-3-one	< 0.1 %		
	M akut; H400: M=10 M chron.; H410: M=10				
2372-82-9	219-145-8	N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine	< 0.1 %		
	oral: ATE = 1 M chron.; H4	00 mg/kg M akut; H400: M=10 10: M=1			

Labelling for contents according to Regulation (EC) No 648/2004



Onyx Coating GmbH

according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 3 of 11

15 % - < 30 % aliphatic hydrocarbons, < 5 % non-ionic surfactants, < 5 % anionic surfactants, preservation agents (PHENOXYETHANOL, BUTYLBENZISOTHIAZOLINONE, LAURYLAMINE DIPROPYLENEDIAMINE).

Further Information

viscosity, kinematic: >20,5 mm2/s (40°C).

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Wash hands before breaks and after work.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Do NOT induce vomiting.

Have victim drink large quantities of water, with active charcoal if possible.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Give activated carbon, in order to reduce the resorption in the gastro-enteric tract.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

No risks worthy of mention.

5.3. Advice for firefighters

No special fire protection measures are necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High slip hazard because of leaking or spilled product.

6.2. Environmental precautions

Product may not be released into water without pre-treatment.

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.





according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 4 of 11

6.4. Reference to other sections

SECTION 12: Ecological information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Protect against: frost. storage temperature: of °C: 0 up to °C: 30

7.3. Specific end use(s)

Abrasive

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1344-28-1	Aluminium oxides, respirable dust	-	4		TWA (8 h)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL

8.2. Exposure controls

Protective and hygiene measures

No special measures are necessary.

Wash hands before breaks and after work.

Eye/face protection

Eye protection: not required.

Hand protection

Hand protection is not required.

Skin protection

Body protection: not required.

Respiratory protection

Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: viscous Colour: white

Odour: product-specific



according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 5 of 11

pH-Value (at 20 °C): 7,5-8,5

Changes in the physical state

Melting point: not determined

Boiling point or initial boiling point and 100-220* °C

boiling range:

Flash point: >70 °C

Flammability

Solid: not applicable
Gas: not determined

Explosive properties

In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits: 0,6 vol. %
Upper explosion limits: 8,0 vol. %
Auto-ignition temperature: not applicable

Self-ignition temperature

Solid: not applicable
Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

not oxidizing.

Vapour pressure: 23 hPa

(at 20 °C)

Density: 1,14 g/cm³ Water solubility: partially miscible (emulsifiable)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Viscosity / dynamic: 8000-12000 mPa·s

(at 20 °C)

Viscosity / kinematic: >20,5 mm²/s

(at 40 °C)

Relative vapour density:

Evaporation rate:

not determined

Solvent separation test:

not determined

not determined

12%

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No risks worthy of mention.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

^{*} aliphatic hydrocarbons boiling temperature / boiling range 180-220°C Not sustaining combustion.



according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 6 of 11

No risks worthy of mention.

10.4. Conditions to avoid

No risks worthy of mention.

10.5. Incompatible materials

none

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene)							
	oral	LD50 mg/kg	>5000	rat				
	dermal	LD50 mg/kg	>5000	rbt				
	inhalation vapour	LC50	mg/l	Vapour pressure: to low	4h max.5mg/l			
64742-46-7	Hydrocarbons, C16-C20,	n-alkanes, isc	oalkanes, c	yclics, <2% aromatics (<0	,1% benzene)			
	oral	LD50 mg/kg	>5000	Rat		OECD 401		
	dermal	LD50 mg/kg	>3160	Rabbit		OECD 402		
	inhalation (4 h) vapour	LC50	5266 mg/l	Rat		OECD 403		
8042-47-5	white oil							
	oral	LD50 mg/kg	>5000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rabbit	OECD 402			
	inhalation (4 h) vapour	LC50 mg/l	>5000	Rat	OECD 403			
122-99-6	2-phenoxyethanol							
	oral	LD50 mg/kg	1850	Rat				
	dermal	LD50 mg/kg	>2000	Rabbit				
2372-82-9	N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine							
	oral	ATE mg/kg	100					

Irritation and corrosivity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 7 of 11

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Practical experience

Other observations

Has de-greasing effect on the skin.

After cleaning apply high-fat content skin care cream.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene)							
	Acute fish toxicity	LC50 >	>1000	96 h	Oncorhynchus mykiss			
	Acute algae toxicity	ErC50 >	>1000		Pseudokirchneriella subcapitata			
	Acute crustacea toxicity	EC50 >	>1000	48 h	Daphnia magna			
64742-46-7	Hydrocarbons, C16-C20,	n-alkanes, isoa	alkanes, cy	/clics, <2	2% aromatics (<0,1% benz	zene)		
	Acute fish toxicity	LC50 > mg/l	>1000	96 h				
	Acute algae toxicity	ErC50 > mg/l	>3000	72 h	Skeletonema costatum			
	Acute crustacea toxicity	EC50 = mg/l	>3000	48 h				
8042-47-5	white oil							
	Acute fish toxicity	LC50 >	>1000	96 h	Leuciscus idus	OECD 203		
	Acute algae toxicity	ErC50 1 > 100 mg/l	NOEL		Pseudokirchnerella subcapitata	OECD 201		
	Acute crustacea toxicity	EC50 = mg/l	>100	48 h	Daphnia magna	OECD 202		
122-99-6	2-phenoxyethanol							
	Acute fish toxicity	LC50 2 460 mg/l	220 -	96 h	Leuciscus idus			
	Acute algae toxicity	ErC50 >	> 500	72 h	Scenedesmus sp.			
	Acute crustacea toxicity	EC50 >	> 500	48 h	Daphnia magna			

12.2. Persistence and degradability





according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 8 of 11

Organic part of product is bio-degradable. (Solvent.: Abiotic degradation in Air)

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation

(EC) No.648/2004 on detergents.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene)				
	80% 28				
	Easily biodegradable (concerning to the criteria of the OECD)				

12.3. Bioaccumulative potential

No indication of bio-accumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
122-99-6	2-phenoxyethanol	1,16

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No risks worthy of mention.

Further information

Doesn't get into the sewage water as long as the process is carried out according to regulations.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Water with tenside additive.

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.





according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 9 of 11

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28

2004/42/EC (VOC): Volatile organic compounds (VOC) in percentage by weight: 12

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation):

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable not applicable

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene) Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics (<0,1% benzene)

white oil

2-phenoxyethanol

2-n-butyl-benzo[d]isothiazol-3-one





according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 10 of 11

N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine

SECTION 16: Other information

Abbreviations and acronyms

2003/15/EG: contains a list of allergenic fragrance substances

648/2004 (EG): Detergents Regulation

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

TLV: Threshold Limiting Value (is a level to which it is believed a worker can be exposed day after day for a working lifetime without adverse effects)

ATEmix: Acute Toxicity Estimates of a mixture

CAS: Chemical Abstracts Service (subdivision of the American Chemical Society)

CAS no: a unique numerical identifier assigned by Chemical Abstracts Service to every chemical substance

(rarely a group of substances), described in the open scientific literature

CLP, 1272/2008 (EC): Regulation of the european parliament on Classification, Labelling and Packaging of

Substances and Mixtures

COD: chemical oxygen demand

DNEL: Derived No Effect Level

EC50: half maximal effective concentration (toxicity value), effect on 50% of the test population

EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

EN: European Standards

ErC50: median inhibitory concentration of growth rate (algal inhibition test), effect on 50% of the test population

EUH-phrase (-Code): precautionary statement (EC-specified, not derived from GHS)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals (of the United nations)

hPa: Hectopascal (1000 hPa= 1bar)
H-phrase (-Code): hazardous statement
IATA: International Air Transport Association

IBC-Code: The IBC Code provides an international standard for the safe carriage in bulk by sea of dangerous

chemicals

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

IUCLID: International Uniform Chemical Information Database

LC50: median lethal (killing) concentraion (toxicity value), effect on 50% of the test population

LD50: median lethal (killing) dose, effect on 50% of the test population

log Kow: partition-coefficient between octanol and water (measures how hydrophilic or hydrophobic a chemical substance is)

MARPOL: Maritime Pollution Convention

OECD: Organisation for Economic Co-operation and Development

OECD 301 (A-F: methods for determination of biodegradibility

PBT: persistent, bioacculumative and toxic (substances that have high resistance to degradation from abiotic

and biotic factors, high mobility in the environment and high toxicity)

PNEC: Predicted No Effect Concentration ppm: parts per million, 10000ppm=1% P-phrase (-Code): precautionary statement

REACH, 1907/2006 (EC): Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulation concerning the Carriage of Dangerous Goods by Rail (

STOT RE: Specific Target Organ Toxicity (repeated exposure)

STOT SE: Specific Target Organ Toxicity (single exposure)

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative (s.PBT)



according to Regulation (EC) No 1907/2006

Surpreme Compound

Revision date: 03.09.2021 Page 11 of 11

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
⊔ 272	May cause damage to organs through prolonged o

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH210 Safety data sheet available on request.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)